



DEEP GROOVE BALL BEARINGS





10-15 mm



Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Variety of shields, seals snap groove snap ring
10	61700	15	3	0.0014	ZZ,2RS
	61700 ZZ	15	4	0.0014	
	61800	19	5	0.0055	ZZ,2RS
	63800	19	7	0.0074	ZZ,2RS
	61900	22	6	0.01	ZZ,2RS
	6000	26	8	0.019	Z,ZZ,RS,2RS
	63000-2RS	26	12	0.025	2RS
	16100	28	8	0.022	ZZ
	6200	30	9	0.032	Z,ZZ,RS,2RS
	62200-2RS	30	14	0.044	2RS
	98200	32	9	0.036	
	6300	35	11	0.053	Z,ZZ,RS,2RS
	62300-2RS	35	17	0.06	2RS
	12	61701	18	4	0.0031
61801		21	5	0.0063	ZZ,2RS
24	63801	21	7	0.0085	2RS
	61901		6	0.011	ZZ,2RS
	6001	28	8	0.022	Z,ZZ,RS,2RS
	63001-2RS	28	12	0.029	2RS
	16101	30	8	0.023	ZZ,2RS
	6201	32	10	0.037	Z,ZZ,RS,2RS
	62201-2RS	32	14	0.045	2RS
	6301	37	12	0.06	Z,ZZ,RS,2RS
62301-2RS	37	17	0.07	2RS	
12.7	6201-12.7	32	10	0.036	
	6202-12.7	35	11	0.045	
13	6201-13	32	10	0.036	
15	ET-2015	20	3.5		
	ET-2115	21	3.5		
	61702	21	4	0.036	ZZ,2RS
	61802	24	5	0.0076	ZZ,2RS
	63802	24	7	0.01	2RS
	61902	28	7	0.016	ZZ,2RZ,2RS1

DEEP GROOVE BALL BEARINGS




15-20 mm




Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
15	16002	32	8	0.025	Z,ZZ
	6002	32	9	0.03	Z,ZZ,RS,2RS
	63002-2RS	32	13	0.039	2RS
	6202	35	11	0.045	Z,ZZ,RS,2RS
	62202-2RS	35	14	0.054	2RS
	98202	37	9	0.041	
	98302	40	9	0.059	
	6302	42	13	0.082	Z,ZZ,RS,2RS
	62302-2RS	42	17	0.11	2RS
15.875	6202-15.875	35	11		
16	ET-2216	22	4		
	ET-2316	23	4.5		
	6202-16	35	11	0.045	
17	61703	23	4	0.004	ZZ,2RS
	61803	26	5	0.0082	ZZ,2RZ,2RS1
	63803	26	7	0.0011	2RS
	61903	30	7	0.018	ZZ,2RZ,2RS1
	16003	35	8	0.032	ZZ
	6003	35	10	0.039	Z,ZZ,RS,2RS
	63003-2RS	35	14	0.052	2RS
	98203	40	9	0.048	OPEN
	6203	40	12	0.065	Z,ZZ,RS,2RS
	62203-2RS	40	16	0.083	2RS
	6303	47	14	0.12	Z,ZZ,RS,2RS
	62303-2RS	47	19	0.15	2RS
6403	62	17	0.27	OPEN	
18	ET-2418	24	4		
19.05	6204-19.05	47	14	0.107	
20	ET-2520	25	4		
	61704	27	4	0.0059	ZZ,2RS
	61804	32	7	0.018	ZZ,2RS
	63804	32	10	0.024	2RS
	61904	37	9	0.038	ZZ,2RS

DEEP GROOVE BALL BEARINGS


20-30 mm




ZZ



2RZ



2RS






2RW


Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Variety of shields, seals snap groove snap ring
20	16004	42	8	0.05	OPEN
	98204	42	9	0.051	OPEN
	6004	42	12	0.069	Z,ZZ,RS,2RS
	63004-2RS	42	16	0.086	2RS
	6204	47	14	0.11	Z,ZZ,RS,2RS
	62204-2RS	47	18	0.13	2RS
	98304	52	10	0.109	
	6304	52	15	0.14	Z,ZZ,RS,2RS
	62304-2RS	52	21	0.2	2RS
	6404	72	19	0.4	OPEN
22	619/22	39	9	0.036	ZZ,2RS
	60/22	44	12	0.073	
	62/22	50	14	0.12	OPEN, 2RS
	63/22	56	16	0.18	OPEN
25	61705	32	4	0.0059	ZZ, 2RS
	61805	37	7	0.022	ZZ,2RS
	63805	37	10	0.032	2RS
	61905	42	9	0.045	ZZ,2RS
	16005	47	8	0.06	OPEN
	6005	47	12	0.08	Z,ZZ,RS,2RS
	63005-2RS	47	16	0.1	2RS
	98205	52	9	0.078	OPEN
	6205	52	15	0.13	Z,ZZ,RS,2RS
	62205-2RS	52	18	0.15	2RS
	98305	62	12	0.186	
	6305	62	17	0.23	Z,ZZ,RS,2RS
	62305-2RS	62	24	0.32	2RS
6405	80	21	0.53	OPEN	
25.4	6205-25.4	52	15	0.127	
28	619/28	45	9	0.05	ZZ,2RS
	60/28	52	12	0.105	
	62/28	58	16	0.18	OPEN
	63/28	68	18	0.29	OPEN
30	61706	37	4	0.0083	ZZ,2RS

DEEP GROOVE BALL BEARINGS


30-40 mm




ZZ



2RZ



2RS







2RW

Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Variety of shields, seals snap groove snap ring
30	61806	42	7	0.027	ZZ,2RS
	63806	42	10	0.036	2RS
	61906	47	9	0.051	ZZ,2RS
	16006	55	9	0.085	OPEN
	6006	55	13	0.12	Z,ZZ,RS,2RS
	63006-2RS	55	19	0.16	2RS
	98206	62	10	0.12	OPEN
	6206	62	16	0.2	Z,ZZ,RS,2RS
	62206-2RS	62	20	0.24	2RS
	98306	72	13	0.295	
	6306	72	19	0.35	Z,ZZ,RS,2RS
	62306-2RS	72	27	0.48	2RS
	6406	90	23	0.74	OPEN
	32	619/32	52	10	0.068
60/32		58	13	0.14	
62/32		65	17	0.222	
63/32		75	20	0.4	
35	61707	44	5	0.015	ZZ,2RS
	61807	47	7	0.032	2RZ,2RS
	61907	55	10	0.087	2RZ,2RS
	16007	62	9	0.11	OPEN
	6007	62	14	0.16	Z,ZZ,RS,2RS
	63007-2RS	62	20	0.21	2RS
	98207	70	10	0.25	
	6207	72	17	0.29	Z,ZZ,RS,2RS
	62207-2RS	72	23	0.37	2RS
	98307	80	14	0.38	
	6307	80	21	0.46	Z,ZZ,RS,2RS
6407	100	25	0.95	OPEN	
40	61708	50	6	0.023	ZZ,2RS
	61808	52	7	0.033	ZZ,2RS
	61908	62	12	0.12	ZZ,2RS
	16008	68	9	0.13	OPEN
	6008	68	15	0.19	Z,ZZ,RS,2RS
	63008-2RS	68	21	0.26	2RS
	98208	80	11	0.272	

DEEP GROOVE BALL BEARINGS



40-55 mm



Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
40	6208	80	18	0.37	Z,ZZ,RS,2RS
	62208-2RS	80	23	0.44	2RS
	62307-2RS	80	31	0.66	2RS
	98308	90	16	0.58	
	6308	90	23	0.63	Z,ZZ,RS,2RS
	62308-2RS	90	33	0.89	2RS
	6408	110	27	1.25	OPEN
45	61709	55	6	0.025	ZZ,2RS
	61809	58	7	0.04	2RZ,2RS
	61909	68	12	0.14	2RZ,2RS
	16009	75	10	0.17	OPEN
	6009	75	16	0.25	Z,ZZ,RS,2RS
	63009-2RS	75	23	0.34	2RS
	98209	85	11	0.286	
	6209	85	19	0.41	Z,ZZ,RS,2RS
	62209-2RS	85	23	0.48	2RS
	98309	100	17	0.76	
	6309	100	25	0.83	Z,ZZ,RS,2RS
	62309-2RS	100	36	1.15	2RS
	6409	120	29	1.55	OPEN
	50	61710	62	6	0.064
61810		65	7	0.052	2RZ,2RS
61910		72	12	0.014	2RZ,2RS
16010		80	10	0.18	OPEN
6010		80	16	0.26	Z,ZZ,RS,2RS
63010-2RS		80	23	0.37	2RS
98210		90	11	0.305	
6210		90	20	0.46	Z,ZZ,RS,2RS
62210-2RS		90	23	0.52	2RS
98310		100	19	1.09	
6310		110	27	1.05	Z,ZZ,RS,2RS
62310-2RS		110	40	1.55	2RS
6410		130	31	1.9	OPEN
55		61711	68	7	0.042
	61811	72	9	0.083	2RZ,2RS
	61911	80	13	0.19	2RZ,2RS

DEEP GROOVE BALL BEARINGS




55-70 mm




Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Variety of shields, seals snap groove snap ring
55	16011	90	11	0.26	OPEN
	6011	90	18	0.39	Z,ZZ,RS,2RS
	98211	100	12	0.414	
	6211	100	21	0.61	Z,ZZ,RS,2RS
	62211-2RS	100	25	0.7	2RS
	6311	120	29	1.35	Z,ZZ,RS,2RS
	62311-2RS	120	43	1.95	2RS
	6411	140	33	2.3	OPEN
60	61712	75	7	0.055	
	61812	78	10	0.11	2RZ,2RS
	61912	85	13	0.2	2RZ,2RS
	16012	95	11	0.28	OPEN
	6012	95	18	0.42	Z,ZZ,RS,2RS
	98212	105	12	0.432	
	6212	110	22	0.78	Z,ZZ,RS,2RS
	62212-2RS	110	28	0.97	2RS
	6312	130	31	1.7	Z,ZZ,RS,2RS
	62312-2RS	130	46	2.5	2RS
	6412	150	35	2.75	OPEN
65	61713	80	7	0.059	
	61813	85	10	0.13	2RZ,2RS
	61913	90	13	0.22	2RZ,2RS
	16013	100	11	0.3	OPEN
	6013	100	18	0.44	Z,ZZ,RS,2RS
	98213	115	14	0.61	
	6213	120	23	0.99	Z,ZZ,RS,2RS
	62213-2RS	120	31	1.25	2RS
	6313	140	33	2.1	Z,ZZ,RS,2RS
	62313-2RS	140	48	3	2RS
	6413	160	37	3.3	OPEN
70	61714	85	7	0.063	
	61814	90	10	0.14	2RZ,2RS
	61914	100	16	0.35	2RZ,2RS
	16014	110	13	0.44	OPEN
	6014	110	20	0.61	Z,ZZ,RS,2RS
	98214	120	14	0.65	

DEEP GROOVE BALL BEARINGS


70-90 mm




ZZ



2RZ



2RS







2RW

Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
70	6214	125	24	1.1	Z,ZZ,RS,2RS
	62214-2RS	125	31	1.3	2RS
	6314	150	35	2.55	Z,ZZ,RS,2RS
	62314-2RS	150	51	3.55	2RS
	6414	180	42	4.85	OPEN
75	61715	90	7	0.068	
	61815	95	10	0.15	2RZ,2RS
	61915	105	16	0.37	2RZ,2RS
	16115	115	12	0.38	
	16015	115	13	0.46	OPEN
	6015	115	20	0.64	Z,ZZ,RS,2RS
	98215	130	16	0.89	
	6215	130	25	1.2	Z,ZZ,RS,2RS
	6315	160	37	3.05	Z,ZZ,RS,2RS
	6415	190	45	6.8	
80	61716	95	7	0.072	
	61816	100	10	0.15	2RZ,2RS
	61916	110	16	0.4	2RZ,2RS
	16016	125	14	0.61	OPEN
	6016	125	22	0.85	Z,ZZ,RS,2RS
	98216	135	16	1.01	
	6216	140	26	1.4	Z,ZZ,RS,2RS
	6316	170	39	3.6	Z,ZZ,RS,2RS
	6416	200	48	8	OPEN
85	61717	105	10	0.149	
	61817	110	13	0.27	2RZ,2RS
	61917	120	18	0.55	2RZ,2RS
	16017	130	14	0.63	OPEN
	6017	130	22	0.89	Z,ZZ,RS,2RS
	98217	145	18	1.11	
	6217	150	28	1.8	Z,ZZ,RS,2RS
	6317	180	41	4.25	Z,ZZ,RS,2RS
	6417	210	52	9.5	OPEN
90	61718	110	10	0.157	
	61818	115	13	0.28	2RZ,2RS

DEEP GROOVE BALL BEARINGS






90-110 mm




Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Variety of shields, seals snap groove snap ring
90	61918	125	18	0.59	2RZ,2RS
	16018	140	16	0.85	OPEN
	6018	140	24	1.15	Z,ZZ,RS,2RS
	98218	150	18	1.17	
	6218	160	30	2.15	Z,ZZ,RS,2RS
	6318	190	43	4.9	Z,ZZ,RS,2RS
	6418	225	54	11.5	OPEN
95	61719	115	10	0.164	
	61819	120	13	0.3	2RZ,2RS
	61919	130	18	0.61	2RS
	16019	145	16	0.89	OPEN
	6019	145	24	1.2	Z,ZZ,RS,2RS
	98219	160	20	1.33	
	6219	170	32	2.6	Z,ZZ,RS,2RS
	6319	200	45	5.65	Z,ZZ,RS,2RS
100	61720	120	10	0.173	
	61820	125	13	0.31	2RZ,2RS
	61920	140	20	0.83	2RZ,2RS
	16020	150	16	0.91	OPEN
	6020	150	24	1.25	Z,ZZ,RS,2RS
	6220	180	34	3.15	Z,ZZ,RS,2RS
	6320	215	47	7	Z,ZZ
105	61821	130	13	0.32	2RZ,2RS
	61921	145	20	0.87	
	16021	160	18	1.2	
	6021	160	26	1.6	Z,ZZ,RS,2RS
	6221	190	36	3.7	
	6321	225	49	8.25	Z,ZZ
110	61822	140	16	0.6	2RZ,2RS1
	61922	150	20	1.9	
	16022	170	19	1.45	
	6022	170	28	1.95	Z,ZZ,RS,2RS
	6222	200	38	4.35	
	6322	240	50	9.55	

DEEP GROOVE BALL BEARINGS


120-160 mm




ZZ



2RZ



2RS






2RW


Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
120	61824	150	16	0.65	2RZ,2RS1
	61924	165	22	1.2	
	16024	180	19	1.55	
	6024	180	28	2.1	Z,ZZ,RS,2RS
	6224	215	40	5.25	
	6324	260	55	12.5	
130	61826	165	18	0.93	2RZ,2RS
	61926	180	24	1.85	
	16026	200	22	2.35	
	6026	200	33	3.25	Z,ZZ,RS,2RS
	6226	230	40	5.85	Z,ZZ
	6326	280	58	15	
	6326 M	280	58	17.5	
140	61828	175	18	0.99	2RZ,2RS1
	61928	190	24	1.7	
	61928 MA	190	24	2	
	16028	210	22	2.55	
	6028	210	33	3.45	Z,ZZ,RS,2RS
	6228	250	42	7.75	
	6328	300	62	18.5	
	6328 M	300	62	21.5	
150	61830	190	20	1.2	
	61930 MA	210	28	3.05	
	16030	225	24	3.15	
	6030	225	35	4.8	Z,ZZ,RS,2RS
	6230	270	45	9.4	
	6330	320	65	23	
	6330 M	320	65	26	
160	61832	200	20	1.45	
	61932	220	28	2.7	
	61932 MA	220	28	3.2	
	16032	240	25	3.65	
	6032	240	38	5.2	Z,ZZ,RS,2RS
	6232	290	48	14.5	
	6332	340	68	26	

DEEP GROOVE BALL BEARINGS


160-200 mm




ZZ



2RZ



2RS




2RW

Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
160	6332 M	340	68	30.5	
170	61834	215	22	1.65	
	61934 MA	230	28	3.4	
	16034	260	28	5	
	6034	260	42	7	
	6034 M	260	42	8.15	
	6234	310	52	16	
	6234 M	310	52	18	
	6334	360	72	31	
	6334 M	360	72	36	
180	61836	225	22	2	
	61936	250	33	5	
	61936 MA	250	33	5	
	16036	280	31	6.5	
	6036	280	46	9.1	
	6036 M	280	46	10.5	
	6236	320	52	18.5	
	6236 M	320	52	18.5	
	6336	380	75	36.5	
	6336 M	380	75	42.5	
190	61838	240	24	2.6	
	61938	260	33	4.5	
	61938 MA	260	33	5.25	
	16038	290	31	7.9	
	6038	290	46	9.55	
	6038 M	290	46	11	
	6238	340	55	19.5	
	6238 M	340	55	22	
	6338	400	78	42	
	6338 M	400	78	48.5	
200	61840	250	24	2.7	
	61940	280	38	6.3	
	61940 MA	280	38	7.3	
	16040	310	34	8.8	
	6040	310	51	12.5	

DEEP GROOVE BALL BEARINGS



200-300 mm




Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
200	6040 M	310	51	14.5	
	6240	360	58	23.5	
	6240 M	360	58	26.5	
220	61844	270	24	2.55	
	61944	300	38	6.8	
	61944 MA	300	38	7.95	
	16044	340	37	11.5	
	6044	340	56	16	
	6044 M	340	56	19	
	6244	400	65	33.5	
	6244 M	400	65	37	
240	61848	300	28	39	
	61948	320	38	73	
	61948 MA	320	38	85.5	
	16048	360	37	12.5	
	16048 MA	360	37	14	
	6048	360	56	17	
	6048 M	360	56	20.5	
	6348 M	500	95	92.5	
260	61852	320	28	4.15	
	61952	360	46	12	
	61952 MA	360	46	14.5	
	16052	400	44	18	
	16052 MA	400	44	22.5	
	6052	400	65	25	
	6052 M	400	65	30	
280	61856	350	33	6.25	
	61956	380	46	12	
	61956 MA	380	46	15.5	
	16056	420	44	19	
	16056 MA	420	44	24	
	6056	420	65	26	
	6056 M	420	65	31.5	
300	61860	380	38	8.9	

DEEP GROOVE BALL BEARINGS




300-460 mm



Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
300	61860 MA	380	38	10.5	
	61960	420	56	19	
	61960 MA	420	56	24.5	
	6260 M	540	85	88.5	
320	61864	400	38	9.5	
	61864 MA	400	38	11	
	16064 MA	480	50	34	
	6064 M	480	74	46	
340	61868	420	38	10	
	61868 MA	420	38	11.5	
	16068 MA	520	57	45	
	6068 M	520	82	62	
360	61872 MA	440	38	12	
	61972 MA	480	56	28	
	16072 MA	540	57	49	
	6072 M	540	82	64.5	
380	61876 MA	480	46	20	
	61976 MA	520	65	40	
	16076 MA	560	57	51	
	6076 M	560	82	70.5	
400	61880 MA	500	46	20.5	
	61980 MA	540	65	41.5	
	6080 M	600	90	87.5	
420	61884 MA	520	46	21.5	
	61984 MA	560	65	43	
	6084 M	620	90	91.5	
440	61888 MA	540	46	22.5	
	61988 MA	600	74	60.5	
	6088 M	650	94	105	
460	61892 MA	580	56	35	
	61992 MA	620	74	62.5	

DEEP GROOVE BALL BEARINGS


460-800 mm



Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
460	6092 MB	680	100	120	
480	61896 MA	600	56	36.5	
	61996 MA	650	78	74	
	6096 MB	700	100	125	
500	618/500 MA	620	56	40.5	
	619/500 MA	670	78	77	
	60/500 N1MAS	720	100	135	
530	618/530 MA	650	56	39.5	
	619/530 MA	710	82	90.5	
	60/530 N1MAS	780	112	185	
560	618/560 MA	680	56	42	
	619/560 MA	750	85	105	
	60/560 N1MAS	820	115	210	
600	618/600 MA	730	60	52	
	619/600 MA	800	90	125	
630	618/630 MA	780	69	73	
	619/630 N1MA	850	100	160	
	60/630 N1MBS	920	128	285	
670	618/670 MA	820	69	83.5	
	619/670 MA	900	103	185	
	60/670 N1MAS	980	136	345	
710	618/710 MA	870	74	93.5	
	619/710 MA	950	106	220	
	60/710 MA	1 030	140	375	
750	618/750 MA	920	78	110	
	619/750 MA	1 000	112	255	
800	618/800 MA	980	82	130	
	619/800 MA	1060	115	275	
	60/800 N1MAS	1150	155	535	

DEEP GROOVE BALL BEARINGS

850-1500 mm



Bore Dia (d) mm	Number	Outer Dia (D) mm	Width (B) mm	Weight (kg)	Varaity of shileds, seals snap groove snap ring
850	618/850 MA	1030	82	140	
	619/850 MA	1120	118	310	
1000	618/1000 MA	1220	100	245	
1060	618/1060 MA	1280	100	260	
1120	618/1120 MA	1360	106	315	
1180	618/1180 MA	1420	106	330	
1500	618/1500 MA	1820	140	690	